



the **play inspection** company  
*the safest hands around playgrounds*

---

## Post Installation Report

HAGS - SMP

Longburrow Teen Area

Park Lane, Stokenchurch, High Wycombe, Buckinghamshire,  
HP14 3TQ



Unit 5 Glenmore Business Park, Blackhill Road, Poole, Dorset, BH16 6NL  
t - 01202 590675 f - 0870 428 3942 e - info@playinspections.co.uk

[www.playinspections.co.uk](http://www.playinspections.co.uk)

Powered by:

**the play** ▶  
**inspection app**  
*by the play inspection company*

# Risk Assessment Matrix

Probability>>	5	Very High	VL	L	M	H	VH
	4	High	VL	L	M	H	H
	3	Moderate	VL	L	L	M	M
	2	Low	VL	L	L	L	L
	1	Very Low	VL	VL	VL	VL	VL
		Very Low	Low	Moderate	High	Very High	
		1	2	3	4	5	

Severity>>

Probability Score	Probability of Occurrence
1 – Very Low	No significant probability; lightning Strike
2 – Low	Minimal probability of occurrence. Requires significant factor or combination of factors to take place. Significant increase in intensity of use.
3 – Moderate	Moderate probability. An added factor is needed to cause an accident. Designed use is unlikely to be problematic, additional factor is required. Covers or guards loose, removed or vandalised. Absent guard rail or barrier at high levels
4 – High	High probability. Accident is probable without any added factor. Glass contaminant in loose fill surface. Exposed sharp edges on equipment.
5 – Very High	Very High probability. If the situation is not addressed an accident is almost certain. Severely worn chains/shackles. Severely damaged surfacing within impact area

Severity Score	Severity of injury
1 – Very Low	No injury likely e.g. damaged or soiled clothing, minor bruising
2 – Low	Minor injury – Laceration or bruising requiring first aid only
3 – Moderate	Injury requiring medical intervention e.g. laceration requiring stitches, sprain, fracture of small bones of hand or foot.
4 – High	Serious injury including hospitalisation for observation e.g. concussion, fracture of long bones of leg/arm, back/neck injuries, fractured skull.
5 – Very High	Severe injury involving the potential for permanent disability e.g. amputation, loss of sight, spinal injury, fatality.

NB: When we inspect we only see a snapshot of the current condition of the equipment. It is the operator's responsibility to ensure that there is a continuing level of maintenance to keep the equipment in good working order and the site fit for use.

BS EN 1176:2008 Parts 1-11 (Playground equipment and surfacing)  
 BS EN 14974 (Facilities for users of roller sports equipment)  
 BS EN 15312 (Free access multi-sports equipment)  
 BS 10075 (Specification for Parkour Equipment)

## Site Information

Inspection Ref: 207478

Site Ref: 29097

Customer Order No: None

Post Installation Report - 11 January 2016 at Inspector: Keith Dalton RPII Annual Inspector

Risk Assessment: **4 - Very Low Risk**





4 - Very Low Risk

**Item:** Other - Cable Runway  
**Manufacturer:** Hags SMP  
**Surface Type:** Grass Matrix Tiles  
**Equipment Compliance:** Yes  
**Surface Area Compliance:** Yes  
**Ref/Part Number:**  
**Total Findings:** 1



Finding 1

The cable and tensioning mechanism has now been fitted correctly - None required


## Findings Information



### 4 - Very Low Risk (Finding 1)

**Item:** Other - Cable Runway  
**Manufacturer:** Hags SMP

**Risk Level:** V - Very Low Risk  
**Surface:** Grass Matrix Tiles



**Finding:** The cable and tensioning mechanism has now been fitted correctly

**Action:** None required